

2017 Hot Shot/FWD/Buzz Car Rules

***All vin plates must remain .. Dash CAN be removed!!**

Upper class drivers CANNOT drop down and drive this class!!!

NO CARS WILL BE ALLOWED TO SWAP CLASSES!!

CARS:

96-inch minimum wheelbase

NO low profile such as Camaro, Firebird, or Mustang

Front & rear tow loop required for wrecker purposes

ENGINE:

MUST be stock for make (Chevy in Chevy, Ford in Ford, Buick in Buick, etc.)

NO modifications

V6 or 4 cylinder engines only

Fuel injection only. No carburetor allowed. No turbos

Stock exhaust must run at least past the driver's doorpost

Stock air filter and breather

Stock ignition

TRANSMISSION:

Stock automatic or stock standard transmission

DRIVELINE:

Front wheel drive only

Rear end must be stock for make and model

SUSPENSION AND FRAME:

NO altering in any way

Stock shocks in stock position

No adjustable or aluminum shocks

BODY:

Two door or four door

All glass must be removed; windshield may remain if desired

May remove back seat, but cover opening with metal

Doors MUST be welded shut

Dash can be removed

If deemed by track that excessive hulling has been done, you may have to ADD weight

NO cutting of body anywhere

Driver's door may be hulled out for roll cage

Four-point cage may be used, 1 3/4" diameter steel pipe minimum

Roll cage cannot go through the firewall or go past the back seat

STOCK MEANS STOCK

ADD ONS:

Seat belt and Harness required. Belts MUST be minimum of 3 inches wide.

Racing seat MANDATORY!!

Steering wheel center must be padded.

Fuel cell may be used. IF fuel cell is used it must be mounted inside a 0.20 gauge metal box by 1 inch steel straps.

Approved helmet and fire suit required.

Fire extinguisher REQUIRED and must be within driver's reach.

WHEELS:

Steel or aluminum wheels.

Maximum 7 inch width wheels, 1" Tolerance. May be double centered.

Oversized lug nuts on all wheels

Steel Racing Wheels Only On Right Front and Right Rear.

Bead Locks allowed on RIGHT FRONT ONLY!!

TIRES:

Maximum size P235 70 R15 Highway DOT only.

NO RACING TIRES!

ALL 4 tires MUST be same size (example: 15, 14, or 13 inch all the way around).

BRAKES:

Must remain stock for make and model of car.

NO adjusters.

ALL DECISIONS OF THE OFFICIALS SHALL BE FINAL.

**THIS IS A STOCK CLASS
EVERYTHING MUST BE STOCK UNLESS STATED OTHERWISE ABOVE.**

**IF IN DOUBT, DON'T DO IT
IF IT'S NOT STOCK, IT'S NOT LEGAL**

RACECEIVERS MANDATORY IN EVERY DIVISION

ANY weight lost on track that is NOT painted will belong to track.